



# **Real World Testing Results – 2025 Plan**

**Version: 1.0**  
**January 2026**

This document contains the Results of the Real World Testing Plan of Glenwood System's GlaceEMR for the year 2025.



# Table of Contents

- Introduction ..... 4
- Applicable Real World Testing Certification Criteria ..... 6
  - Transition Of Care ..... 6
    - General Information ..... 6
    - Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI)) ..... 6
    - Care Setting(S): ..... 6
    - Metrics and Outcomes:..... 7
    - Schedule Of Key Milestones..... 8
- ePrescription ..... 10
  - General Information ..... 10
  - Summary of Testing Methods and Key Findings:..... 10
  - Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI)) ..... 10
  - Care Setting(S): ..... 10
  - Metrics and Outcomes:..... 11
  - Schedule Of Key Milestones..... 11
- Electronic Health Information export .....
  - General Information ..... 12
  - Summary of Testing Methods and Key Findings:..... 12
  - Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI)) ..... 12
  - Care Setting(S): ..... 12
  - Metrics and Outcomes:..... 13
  - Schedule Of Key Milestones..... 13
- Clinical Quality Measures..... 14
  - General Information ..... 14
  - Summary of Testing Methods and Key Findings:..... 14
  - Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI)) ..... 14
  - Care Setting(S): ..... 14
  - Metrics and Outcomes:..... 15
  - Schedule Of Key Milestones..... 15



Application Programming Interfaces ..... 16

- General Information ..... 16
- Summary of Testing Methods and Key Findings:..... 16
- Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI)) ..... 16
- Care Setting(S): ..... 17
- Metrics and Outcomes:..... 18
- Schedule Of Key Milestones..... 18

Electronic Exchange ..... 19

- General Information ..... 19
- Summary of Testing Methods and Key Findings:..... 19
- Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI)) ..... 19
- Care Setting(S): ..... 19
- Metrics and Outcomes:..... 20
- Schedule Of Key Milestones..... 20

Public Health ..... 21

- General Information ..... 21
- Summary of Testing Methods and Key Findings:..... 21
- Standards Updates (Including Standards Version Advancement Process (SVAP))..... 21
- Care Setting(S): ..... 23
- Metrics and Outcomes:..... 23
- Schedule Of Key Milestones..... 25

Attestation ..... 26



## Introduction

Real World Testing is an annual requirement outlined in the ONC 21<sup>st</sup> Century Cures Act Final Rule for health IT developers participating in the ONC Health IT Certification Program. The purpose of this Condition and Maintenance of Certification requirement is for Certified Health IT Developers to demonstrate interoperability and functionality of their certified health IT in real world settings and scenarios, rather than in a controlled test environment with an ONC-Authorized Testing Lab. Real World Testing verifies that deployed Certified Health IT continues to perform as intended by conducting and measuring observations of interoperability and data exchange. These observations are described in a public and transparent way through Real World Testing plans and reported as Real World Testing results. This document contains the results of execution of the test plan for the following criteria.

### **Transition Of Care:**

- § 170.315(b)(1) Transitions of care
- § 170.315(b)(2) Clinical information reconciliation and incorporation
- § 170.315(b)(7) Security tags - summary of care - send
- § 170.315(b)(8) Security tags - summary of care - receive
- § 170.315(b)(9) Care plan
- § 170.315(e)(1) View, download, and transmit to 3rd party

### **ePrescription:**

- § 170.315(b)(3) Electronic prescribing

### **Electronic Health Information export:**

- § 170.315(b)(10) Data export

### **Clinical Quality Measures:**

- § 170.315(c)(1)—record and export
- § 170.315(c)(2)—import and calculate
- § 170.315(c)(3)—report

### **Application Programming Interfaces:**

- § 170.315(g)(7) Application access — patient selection
- § 170.315(g)(9) Application access — all data request
- § 170.315(g)(10) Standardized API for patient and population services



**Electronic Exchange:**

§ 170.315(h)(2) Direct Project, Edge Protocol, and XDR/XDM

**Public Health:**

§ 170.315(f)(1) Transmission to immunization registries

§ 170.315(f)(2) Transmission to public health agencies — syndromic surveillance

§ 170.315(f)(4) Transmission to cancer registries

§ 170.315(f)(5) Transmission to public health agencies — electronic case reporting

§ 170.315(f)(7) Transmission to public health agencies — health care surveys



## Applicable Real World Testing Certification Criteria

### Transition Of Care

#### General Information

Developer Name:	<b>Glenwood Systems LLC</b>
Product Name(s):	<b>GlanceEMR</b>
Version Number(s):	<b>6.0</b>
Certified Health IT Product List (CHPL) ID(s):	<b>15.04.04.1535.Glac.06.00.1.180629</b>
Developer Real World Testing Page URL:	<b><a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a></b>

#### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine the send and receive transitions of care using Edge protocols and downloading or transmitting EHI by patients using the patient portal. During the course we have added additional Outcome information to track the transactions. In Patient portal majority of the patients viewed their summary document, far fewer downloaded the document and no significant patient population transmitted the document.

#### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	All standards versions are those specified in USCDI v1. The developer plans to use SVAP to update its (e)(1) module to support the new version of the Direct transport protocol (now known as Secure Health Transport) during the testing period.
Method used for standard update	SVAP
Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

#### Care Setting(S):

We have utilized ambulatory care setting in a pulmonary practice.



**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Sending	§ 170.315(b)(1) Transitions of care	<b>Successfully Exported Results:</b> <ul style="list-style-type: none"> <li>• 1 year timespan 1/24/25 - 12/20/25</li> <li>• 2 Clients involved</li> <li>• Total Exported CCDA documents = 438</li> <li>• Success Percentage: 98.85%</li> </ul>	
Receiving	§ 170.315(b)(1) Transitions of care	<b>Imported and Validated Results:</b> <ul style="list-style-type: none"> <li>• 1 year timespan 1/15/25 - 12/20/25</li> <li>• 2 Clients involved</li> <li>• Total Imported CCDA documents = 198</li> <li>• Validation Percentage: 95.95 %</li> </ul>	

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
View, download and transmit	§ 170.315(e)(1) View, download and transmit	<b>View, download and transmit</b> Total of 4305 Timeframe: One year (2025) 2 Clients involved Success Percentage: 100%	

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Sending	§ 170.315(b)(9) Care plan	Total of 50 Care Plan documents Generated (for 2 Clients) Timeframe: one year (2025)  No errors in transmission were captured Success Percentage: 100%	
Receiving	§ 170.315(b)(9) Care plan	For this metric, we counted the total number of Care Plan documents received. No clients received one of these reports during the specified timeframe. (for 2 Clients)  Count of Reports Generated using mock Data: 2  Functionality is working as expected. No errors in transmission.  Timeframe: one year (2025)	



Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Sending	§ 170.315(b)(7) Security tags - summary of care - send	Total of 50 summary of care documents  Success Percentage: 100% No errors in transmission were captured	
Receiving	§ 170.315(b)(8) Security tags - summary of care - receive	Total of 70 summary of care documents  Success Percentage: 100% No errors in transmission were captured	

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Sending	§ 170.315(b)(2) Clinical information reconciliation and incorporation	Total of 20 CCDA records where medications, allergies, and problems were reconciled  The software was working as expected, the end users determined what data is reconciled.  Timeframe: One year  No errors in transmission were captured	

**Schedule Of Key Milestones**

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 – December 31, 2025



Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## ePrescription

### General Information

Developer Name:	Glenwood Systems LLC
Product Name(s):	GlanceEMR
Version Number(s):	6.0
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629
Developer Real World Testing Page URL:	<a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a>

### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine the ePrescription performance. During the course we have found most providers do not select the Dx code for the Rx entries. We are planning to encourage the providers to select the Dx for the Rx.

### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	§ 170.205(b)(1) NCPDP SCRIPT Standard, Implementation Guide, Version 2017071 § 170.207(d)(3) RxNorm, September 8, 2015 Full Release Update
Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

### Care Setting(S):

We have utilized ambulatory care setting in a primary care practice.



**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
New Rx Refill Rx Rx with Dx	§ 170.315(b)(3) Electronic prescribing	<p><b>e-prescribing Transactions</b></p> <p>Timeframe: One year (01/09/25-12/08/25)</p> <p>Success Percentage: 99.8%</p> <p>2 Clients involved</p> <p>NewRx – 3457</p> <p>Refill Request – 322</p> <p>Refill Response – 59</p> <p>NewRx with Dx Code – 1349</p> <p>NewRx without DX Code - 2108</p> <p>NewRx with RxNorm Code – 3438</p>	

**Schedule Of Key Milestones**

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 – December 31, 2025
Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## Electronic Health Information export

### General Information

Developer Name:	Glenwood Systems LLC
Product Name(s):	GlanceEMR
Version Number(s):	6.0
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629
Developer Real World Testing Page URL:	<a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a>

### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine batch data export utilization. As per our findings the export process is running without any error. We are considering even granular logging to find the outcome of individual records rather than the outcome of the batch operation.

### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	<p>§ 170.205(a)(4) HL7® Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use Release 2.1, August 2015</p> <p>§ 170.207(a)(4) International Health Terminology Standards Development Organization (IHTSDO) Systematized Nomenclature of Medicine Clinical Terms (SNOMED CT®), U.S. Edition, September 2015 Release</p> <p>§ 170.207(i) ICD-10-CM</p>
Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

### Care Setting(S):

We have utilized ambulatory care setting in a primary care practice.



**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Electronic Health Information export	§ 170.315(b)(10) Electronic Health Information export	Total of 4046 Timeframe: One year (01/20/25-12/22/25)  Success Percentage: 100%	

**Schedule Of Key Milestones**

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 – December 31, 2025
Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## Clinical Quality Measures

### General Information

Developer Name:	Glenwood Systems LLC
Product Name(s):	GlanceEMR
Version Number(s):	6.0
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629
Developer Real World Testing Page URL:	<a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a>

### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine QRDA-I, QRDA-III export, import and report functions. Since none of our customers utilized the import function, we have used the Cypress tool to verify.

### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	<p>§ 170.205(h)(2) Health Level 7 (HL7®) CDA® Release 2 Implementation Guide for: Quality Reporting Document Architecture – Category I (QRDA I); Release 1, DSTU Release 3 (US Realm), Volume 1</p> <p>§ 170.205(k)(3) CMS Implementation Guide for Quality Reporting Document Architecture: Category III; Eligible Clinicians and Eligible Professionals Programs; Implementation Guide for 2020</p>
Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

### Care Setting(S):

We have utilized ambulatory care setting in a primary care and many specialty practices.



**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Export	§ 170.315(c)(1)—record and export	Total of 30 files exported between Jan 1 and December 31 2025	
Import	§ 170.315(c)(2)—import and calculate	15 files were imported 15 files were uploaded  100% of imported files were imported successfully	
Report	§ 170.315(c)(3)—report	<b>MIPS Quality:</b> Confirmed that all files from the random sample were successfully submitted.  100% success rate	

**Schedule Of Key Milestones**

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 – December 31, 2025
Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## Application Programming Interfaces

### General Information

Developer Name:	<b>Glenwood Systems LLC</b>
Product Name(s):	<b>GlanceEMR</b>
Version Number(s):	<b>6.0</b>
Certified Health IT Product List (CHPL) ID(s):	<b>15.04.04.1535.Glac.06.00.1.180629</b>
Developer Real World Testing Page URL:	<b><a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a></b>
Relied Upon Software (if applicable)	<b>GlanceEMR API Gateway (included with GlanceEMR)</b>

### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine API functions. We do not see any errors. But APIs failed many times due to searched patient not found or requested data do not exist.

### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	<p>§ 170.213 United States Core Data for Interoperability (USCDI) Version 1</p> <p>§ 170.205(a)(4) Health Level 7 (HL7®) Implementation Guide for CDA Release 2 Consolidation CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use Release 2.1 C-CDA 2.1, August 2015, June 2019 (with Errata)</p> <p>§ 170.205(a)(5) HL7® CDA R2 IG: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2, October 2019, IBR approved for § 170.205(a)(5)</p> <p>§ 170.215(a)(3) HL7® SMART Application Launch Framework Implementation Guide Release 1.0.0</p> <p>§ 170.215(b) OpenID Connect Core 1.0 incorporating errata set 1</p> <p>§ 170.215(a)(4) HL7® FHIR® Bulk Data Access (Flat FHIR®) (V1.0.1:STU 1)</p> <p>§ 170.215(a)(1) Health Level 7 (HL7®) Version 4.0.1 Fast Healthcare Interoperability Resources Specification (FHIR®) Release 4, October 30, 2019</p> <p>§ 170.215(a)(1) HL7® Version 4.0.1 FHIR® Release 4, October 30, 2019</p> <p>§ 170.215(a)(2) FHIR® US Core Implementation Guide STU V3.1.1</p>
------------------------	--



Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

**Care Setting(S):**

Since GlanceEMR supports ambulatory care setting we are going to use a primary care and few specialty practices



**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Search	§170.315(g)(7) Application access — patient selection	Total Queries: 600 2 Clients involved <b>Timeframe:</b> One year (2025)  <b>Success Percentage:</b> (98.0%) <b>Failure:</b> 12 (2.00%)	
Get Document	§170.315(g)(9) Application access — all data request	Total Queries: 1800 2 Clients involved <b>Timeframe:</b> One year (2025)  <b>Success Percentage:</b> (96.0%) <b>Failure:</b> 72 (4.00%)	
Get Patient Data	§ 170.315(g)(10) Standardized API for patient and population services	Total Queries: 50 Timeframe: One year (2025)  <b>Success Percentage:</b> (36.5%) <b>Failure Percentage:</b> (64.5%)  Failure Reason Codes below: 401: Unauthorized 58.1% 400: Bad Request .02% 404: Not Found 8.2%	

**Schedule Of Key Milestones**

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 – December 31, 2025
Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## Electronic Exchange

### General Information

Developer Name:	Glenwood Systems LLC
Product Name(s):	GlanceEMR
Version Number(s):	6.0
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629
Developer Real World Testing Page URL:	<a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a>

### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine Direct Messaging functions. During the course we have added additional Outcome information to track the transactions.

### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	§ 170.202(a)(2) Direct Project: ONC Applicability Statement for Secure Health Transport, Version 1.2, August 2015 § 170.202(b) ONC XDR and XDM for Direct Messaging Specification § 170.202(d) ONC Implementation Guide for Direct Edge Protocols, Version 1.1, June 25, 2014 § 170.202(e)(1) Delivery Notification - Implementation Guide for Delivery Notification in Direct v1.0
Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

### Care Setting(S):

Since GlanceEMR supports ambulatory care setting we are going to use a primary care and few specialty practices



**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Send	§ 170.315(h)(2) Direct Project, Edge Protocol, and XDR/XDM	12-month timespan 1/24/25 - 12/2/25 2 Clients involved  Total Messages = 450 <b>Success Percentage:</b> 99.17% <b>Failure Percentage:</b> 0.83%	
Receive		12-month timespan 1/19/25 - 12/21/25 2 Clients involved  Total Messages = 215 <b>Success Percentage:</b> 96.16% <b>Failure Percentage:</b> 3.84%	

**Schedule Of Key Milestones**

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 – December 31, 2025
Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## Public Health

### General Information

Developer Name:	Glenwood Systems LLC
Product Name(s):	GlanceEMR
Version Number(s):	6.0
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629
Developer Real World Testing Page URL:	<a href="https://docs.glanceemr.com/Glenwood/rwt.html">https://docs.glanceemr.com/Glenwood/rwt.html</a>

### Summary of Testing Methods and Key Findings:

Our plan was to utilize the system logs, and communication logs to determine Public Health agency updates. We do not have any customers using cancer registry, syndromic surveillance registry and healthcare survey. At the beginning we saw more failures in transmission due to missing fields, warned by registry which were optional fields in EMR. We made more fields mandatory and added registry specific validations to avoid such situation. As the year progressed the rate of error decreased drastically. In addition, Error rate widely varies between different registries due to data validation policies. Many of the registries do not support the query facility yet.

### Standards Updates (Including Standards Version Advancement Process (SVAP) And United States Core Data For Interoperability (USCDI))

Standard (and version)	<p>§ 170.205(e)(4) Health Level 7 (HL7®) 2.5.1 Implementation Specifications. HL7® 2.5.1 Implementation Guide for Immunization Messaging, Release 1.5, October 2014 and HL7® Version 2.5.1 Implementation Guide for Immunization Messaging (Release 1.5)—Addendum, July 2015</p> <p>§ 170.207(e)(3) HL7® Standard Code Set CVX— Vaccines Administered, updates through August 17, 2015</p> <p>§ 170.207(e)(4) National Drug Code (NDC) Directory— Vaccine NDC Linker, updates through August 17, 2015</p> <p>§ 170.205(d)(4) Health Level 7 (HL7®) 2.5.1. Implementation specifications. PHIN Messaging Guide for Syndromic Surveillance: Emergency Department, Urgent, Care, Inpatient and Ambulatory Care, and Inpatient Settings, Release 2.0, April</p>
------------------------	---



	<p>21, 2015 and Erratum to the CDC PHIN 2.0 Implementation Guide, August 2015</p> <p>§ 170.205(i)(2) Health Level 7 (HL7®) Implementation Guide for CDA® Release 2: Reporting to Public Health Cancer Registries from Ambulatory Healthcare Providers, Release 1, DSTU Release 1.1, April 2015</p> <p>§ 170.207(a)(4) International Health Terminology Standards Development Organization (IHTSDO) Systematized Nomenclature of Medicine Clinical Terms (SNOMED CT®), U.S. Edition, September 2015 Release</p> <p>§ 170.213 United States Core Data for Interoperability (USCDI)</p> <p>§ 170.207(a)(4) International Health Terminology Standards Development Organization (IHTSDO) Systematized Nomenclature of Medicine Clinical Terms (SNOMED CT®), U.S. Edition, September 2019 Release</p> <p>§ 170.207(i) Encounter diagnoses: The code set specified at 45 CFR 162.1002(c)(2) for the indicated conditions ICD-10-CM as maintained and distributed by HHS, for the following conditions:</p> <ul style="list-style-type: none"><li>Diseases.</li><li>Injuries.</li><li>Impairments.</li><li>Other health problems and their manifestations.</li><li>Causes of injury, disease, impairment, or other health problems.</li></ul> <p>§ 170.205(s)(1) Health Level 7 (HL7®) Implementation Guide for CDA Release 2: National Health Care Surveys (NHCS), Release 1 – US Realm, Draft Standard for Trial Use, December 2014</p> <p>Errata for NHCS V1.0</p> <p>Standards Version Advancement Process (SVAP) Version(s) Approved</p>
--	--



	HL7® CDA® R2 Implementation Guide: National Health Care Surveys (NHCS), R1 STU Release 3 - US Realm Optional HL7® CDA® R2 Implementation Guide: National Health Care Surveys (NHCS), R1 DSTU Release 1.2 - US Realm
Updated certification criteria and associated product	2015 Edition
Certified Health IT Product List (CHPL) ID(s):	15.04.04.1535.Glac.06.00.1.180629

**Care Setting(S):**

Since GlanceEMR supports ambulatory care setting we are going to use a primary care and few specialty practices

**Metrics and Outcomes:**

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Transmit	§170.315(f)(1) Transmission to immunization Registries	<b>Total of 509 transmissions</b> Timeframe: One Year (2025) 2 Clients involved 4 failures in transmission were captured Success Percentage: 99.6%	
Query		<b>Total of 2720 queries</b> 2 Clients involved Timeframe: One Year (2025) 160 failures in transmission were captured Success Percentage: 95.74%	

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Count of Syndromic Surveillance Reports generated	§ 170.315(f)(2) Transmission to public health agencies — syndromic surveillance	No clients transmitted one of these reports during the specified timeframe. No errors in transmission were captured in Mock data.	



Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Count of Cancer registry reports generated	§ 170.315(f)(4) Transmission to cancer registries	<b>Total of 99 transmissions</b>  Timeframe: one year (1/1-12/30)  Success Percentage: 100%	

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Count of Electronic Case Reports generated	§ 170.315(f)(5) Transmission to public health agencies — electronic case reporting	<b>Total of 375 transmissions</b>  Timeframe: one year (1/1-12/30)  10 failures in transmission were captured Success Percentage: 97.17%	

Measurement /Metric	Associated Criterion	Outcome	Challenges (if applicable)
Count of Healthcare Survey reports generated	§ 170.315(f)(7) Transmission to public health agencies — health care surveys	<b>Total of 270 transmissions</b>  Timeframe: one year (1/1-12/30)  5 failures in transmission were captured Success Percentage: 98%	



### Schedule Of Key Milestones

Key Milestone	Care Setting	Date/ Timeframe
Release of documentation for the Real-World Testing to be provided to authorized representatives and providers. This includes surveys, specific instructions on what to look for, how to record issues encountered, and Customer Agreements.	Ambulatory	November 1, 2024
Collection of information as laid out by the plan for the period.	Ambulatory	January 1, 2025 - December 31, 2025
Follow-up with providers and authorized representatives on a regular basis to understand any issues arising with the data collection.	Ambulatory	Quarterly, 2025
End of Real-World Testing period/final collection of all data for analysis.	Ambulatory	January 1, 2026
Analysis and report creation.	Ambulatory	January 15, 2026
Submit Real World Testing report to ACB (per their instructions)	Ambulatory	February 1, 2026



## Attestation



Glenwood Systems, LLC  
1389 W. Main St, Suite 308, Waterbury, CT 06708-3115  
Toll Free: 800-288-3551 Fax: 203-754-0077  
[www.glenwoodsystems.com](http://www.glenwoodsystems.com)

I do hereby attest that Real World Testing plan for 2025 is executed for the year 2026 is completed as per the ONC requirements on the expected time frame. This document is submitted to the ONC Approved Certification Body.

Authorized Representative is Samuel Raj  
[sam@glenwoodsystems.com](mailto:sam@glenwoodsystems.com)  
(877) 728-7070  
Technical Director  
Glenwood Systems, LLC.  
1389 West Main Street, Suite 308  
Waterbury, CT 06708

Sincerely

Signed by Glenwood System, LLC's Technical Director, Samuel Raj on 01/29/2026.